	Documen t ID	Issue Date	Title	Current OR	Inventor
1	US 6768994 B1	20040727	Web based data mining and location data reporting and system	707/10	Howard, Craig et al.
2	169 A1	20040701	Multiple organization data access monitoring and management system	705/3	Lusen, William D.
3	US 20020073 114 A1	20020613	Business asset management system	715/500	Nicastro, Cherisse M. et al.
4	US 20020066 072 A1	20020530	Method and computer program for producing a regulator or controller	717/104	Crevatin, Mario
5	US 20020035 533 A1	20020321	System and method for processing like-kind exchange transactions	705/37	Mache, Niels et al.
6	US 6589291 B1	20030708	Dynamically determining the most appropriate location for style sheet application	715/513	Boag, Scott A. et al.
7	US 6519617 B1	20030211	Automated creation of an XML dialect and dynamic generation of a corresponding DTD	715/513	Wanderski, Michael C. et al.
8	US 6463440 B1	20021008	Retrieval of style sheets from directories based upon partial characteristic matching	707/102	Hind, John R. et al.
9	US 6023714 A	20000208	Method and system for dynamically adapting the layout of a document to an output device	715/513	Hill, William et al.
10	US 5943680 A	19990824	Output apparatus in which a plurality of images having a plurality of accuracy of colors are output to output devices having different accuracy of colors	715/528	Shimizu, Haruo et al.
11	US 20020026 461 A1	20020228	System and method for creating a source document and presenting the source document to a user in a target format	715/523	Kutay, Ali et al.
12	US 20010044 811 A1	20011122	Method and system for reporting XML data based on precomputed context and a document object model	715/513	Ballantyne, Alando M. et al.

	Documen t ID	Issue Date	Title	Current OR	Inventor
13	US 6678889 B1	20040113	Systems, methods and computer program products for locating resources within an XML document defining a console for managing multiple application programs	718/104	Burkett, Charles Edward et al.
14	US 6606660 B1	20030812	Stream-based communication in a communication services patterns environment	709/227	Bowman-Amuah, Michel K.
15	US 20020035 555 A1	20020321	System and method for building and maintaining a database	707/1	Wheeler, David B. et al.

255   (715/523).CCLS.   USPAT; USPGPUB; EPC; JPC; DERWENT; IBM_TDB USPAT; US-PGPUB; US-PGPUB; USPAT; US-PGPUB; US-PGPUB; USPAT; US-PGPUB; US-PGPUB; USPAT; US-PGPUB; USPAT; US-PGPUB; USPAT; US-PGPUB; USPAT; US-PGPUB; USPAT; US-PGPUB; US-PGPUB; USPAT; US-PGPUB; US-PGPUB; USPAT; US-PGPUB; US-PGPUB; USPAT; US-PGPUB;	:3 13:32 :0 15:04
- 265 (715/503).CCLS.  - 265 (715/503).CCLS.  - 1610 (715/513).CCLS.  - 1610 (715/513).CCLS.  - 1610 (715/513).CCLS.  - 2 ("20030158897").PN.  - 2 ("20030158897").PN.  - 2 ("5860073").PN.  - 2 (990073").PN.  - 2 (90070872").PN.  - 2 (90070872"	0 15:04
- 265 (715/503).CCLS.   DERWENT: IBM TOB USPAT; US-PGPUB; EPO; JPO; DERWENT: IBM TOB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TOB USPAT; US-PGPUB US-PAT; US-PGPUB US-	0 15:04
- 1610 (715/503).CCLS.   IBM_TDB   USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB   USPAT; US-PGPUB   US-	0 15:04
- 265 (715/503).CCLS. USPAT; US-PGPUB; EPO, JPO; DERWENT; IBM, TDB USPAT; US-PGPUB; EPO, JPO; DERWENT; IBM, TDB USPAT; US-PGPUB; EPO, JPO; DERWENT; IBM, TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM, TDB USPAT; US-PGPUB; US-P	0 15:04
- 1610 (715/513).CCLS. US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; ISM_TDB US-PGPUB; EPO; JPO; DERWE	0 15:04
- 1610 (715/513).CCLS.   EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB USPAT; US-PGPU	
- 1610 (715/513).CCLS.  - 1610 (715/513).CCLS.  - 2 ("20030158897").PN.  - 2 ("20030158897").PN.  - 2 ("5860073").PN.  - 2 ("5860073").PN.  - 140 (715/522).CCLS.  - 140 (715/522).CCLS.  - 20171 generat\$4 with report\$1  - 20171 generat\$4 same report\$1) with html - 209 (generat\$4 same report\$1) with html - 209 (generat\$4 same report\$1) with html - 105 (generat\$4 same report\$1) with html - 105 (generat\$4 same report\$1) with html uspAT; us.PGPUB uspAT; us.PGPUB us.PAT; us.PGPUB us.PAT; us.PGPUB us.PGPUB us.PAT; us.PGPUB us.PGPUB us.PAT; us.PGPUB us.PAT; us.PGPUB us.PAT	
- 1610 (715/513).CCLS. IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB	
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISM_TDB USPAT; US-PGPUB; EPO; JPO;	
- 2 ("20030158897").PN.   EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB U	
- 2 ("20030158897").PN.	
- 2 ("20030158897").PN.   IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB USPA	_
- 2 ("20030158897").PN. USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB USPĀT; US-	
- 2 ("5860073").PN. US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB USPAT; US-PGP	3 13.34
- 20171 generat\$4 with report\$1 USPAT; US-PGPUB USPAT; US-PGPU	3 13.34
- 2 ("5860073").PN.   DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB USP	
- 140 (715/522).CCLS.  - 140 (715/522).CCLS.  (715/522).CCLS.  2004/08/2  - 20171 generat\$4 with report\$1  - 209 (generat\$4 same report\$1) with html  - 209 (generat\$4 same report\$1) with xml  - 232 (generat\$4 same report\$1) with (html markup)  - 232 (generat\$4 same report\$1) with (html markup)  - 232 (generat\$4 same report\$1) with (xml (extended adj markup adj language))  - 0 ((generat\$4 same report\$1) with html) & ((generat\$4 same report\$1) with (xml (extended adj markup adj language)))) & ((715/523).CCLS.)  - 0 (((generat\$4 same report\$1) with html) & ((generat\$4 same report\$1) with (xml (extended adj markup adj language)))) & (US-PGPUB US-PAT; US-PGPUB US-PA	
- 140 (715/522).CCLS.  - 140 (715/523).CCLS.	
- 140 (715/522).CCLS. EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB USPAT	3 13:35
- 140 (715/522).CCLS.    DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB US	
- 140 (715/522).CCLS.    IBM_TDB	
- 140 (715/522).CCLS.  (715/522).CCLS.  (715/522).CCLS.  USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB USPAT; US	
- 20171 generat\$4 with report\$1 US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB	3 13-36
- 20171 generat\$4 with report\$1	3 13.30
- 20171 generat\$4 with report\$1 USPAT; US-PGPUB USPAT; US-PGPU	
-       20171       generat\$4 with report\$1       USPAT; US-PGPUB US-PGPUB         -       0       ((((((((((((((((((((((((((((((((((((	
- 209 (generat\$4 same report\$1) with html US-PGPUB US-PGP	
- 209 (generat\$4 same report\$1) with html  - 105 (generat\$4 same report\$1) with xml  - 232 (generat\$4 same report\$1) with (html markup)  - 232 (generat\$4 same report\$1) with (html markup)  - 105 (generat\$4 same report\$1) with (xml (extended adj markup adj language))  - 105 (generat\$4 same report\$1) with (xml (extended adj markup adj language))  - 106 ((generat\$4 same report\$1) with html) & ((generat\$4 same report\$1) with (xml (extended adj markup adj language)))) & (((generat\$4 same report\$1) with html) & ((generat\$4 same report\$1) with html) & ((generat\$4 same report\$1) with (xml (extended adj markup adj language)))) & USPAT; US-PGPUB	3 13:38
- 105 (generat\$4 same report\$1) with xml	
- 105 (generat\$4 same report\$1) with xml USPAT; US-PGPUB	3 13:40
- 232 (generat\$4 same report\$1) with (html markup)  - 105 (generat\$4 same report\$1) with (xml (extended adj markup adj language))  - 0 (( (generat\$4 same report\$1) with html) & ( (generat\$4 same report\$1) with (xml (extended adj markup adj language)) )) & ((715/523).CCLS.)  - 0 (( (generat\$4 same report\$1) with html) & ( (generat\$4 same report\$1) with html) & ( (generat\$4 same report\$1) with (xml (extended adj markup adj language)) )) & USPAT; US	2 12:41
- 232 (generat\$4 same report\$1) with (html markup)  - 105 (generat\$4 same report\$1) with (xml (extended adj markup adj language)) - 0 ( (generat\$4 same report\$1) with html) & ( (generat\$4 same report\$1) with (xml (extended adj markup adj language)) )) & ((715/523).CCLS.) - 0 ( (generat\$4 same report\$1) with html) & ( (generat\$4 same report\$1) with (xml (extended adj markup adj language)) )) & USPAT; US-PGPUB	.5 15.41
- 105 (generat\$4 same report\$1) with (xml (extended adj markup adj language)) - 0 (( (generat\$4 same report\$1) with html) & ( (generat\$4 same report\$1) with (xml (extended adj markup adj language)) )) & ((715/523).CCLS.) - 0 (( (generat\$4 same report\$1) with html) & ( (generat\$4 same report\$1) with html) & ( (generat\$4 same report\$1) with (xml (extended adj markup adj language)) )) & US-PGPUB	0 14:46
adj language)) ( ( (generat\$4 same report\$1) with html) & ( (generat\$4 same report\$1) with care report\$1) with (xml (extended adj markup adj language)) )) & ((715/523).CCLS.)  ( ( (generat\$4 same report\$1) with html) & ( (generat\$4 same report\$1) with (xml (extended adj markup adj language)) )) & US-PGPUB	
- 0 ( ( (generat\$4 same report\$1) with html) & ( (generat\$4 same report\$1) with (xml (extended adj markup adj language)) )) & ((715/523).CCLS.)  - 0 ( ( (generat\$4 same report\$1) with html) & ( (generat\$4 same report\$1) with (xml (extended adj markup adj language)) )) & USPAT; USPAT; US-PGPUB	1 09:35
report\$1) with (xml (extended adj markup adj language)) )) & US-PGPUB ((715/523).CCLS.)  O ( ( (generat\$4 same report\$1) with html) & ( (generat\$4 same report\$1) with (xml (extended adj markup adj language)) )) & US-PGPUB	
- 0 ((715/523).CCLS.) ( ( (generat\$4 same report\$1) with html) & ( (generat\$4 same  USPAT; report\$1) with (xml (extended adj markup adj language)) )) & US-PGPUB	3 13:43
- 0 (( (generat\$4 same report\$1) with html) & ( (generat\$4 same report\$1) with (xml (extended adj markup adj language)) )) & US-PGPUB	
report\$1) with (xml (extended adj markup adj language)) )) & US-PGPUB	2 12.42
	.5 13.43
- 4 (( (generat\$4 same report\$1) with html) & ( (generat\$4 same USPAT; 2004/08/2	3 13:43
report\$1) with (xml (extended adj markup adj language)) )) & US-PGPUB	_
((715/513).CCLS.)	
- 4035 (707/10).CCLS. USPAT; 2004/08/2	.3 13:44
US-PGPUB US-PGPUB	0.40.44
- 0 ("0018&13").PN. USPAT; 2004/08/2	3 13:44
US-PGPUB US-PGPUB US-PGPUB US-PGPUB US-PGPUB US-PGPUB US-PGPUB USPAT; 2004/08/2	3 13.44
(extended adj markup adj language)) ) US-PGPUB	.0 10.44
- 33 ((generat\$4 same report\$1) with html) & ((generat\$4 same USPAT; 2004/08/2	3 13:47
report\$1) with (xml (extended adj markup adj language)) ) US-PGPUB	
- 105 ( (generat\$4 same report\$1) with xml ) & ( (generat\$4 same USPAT; 2004/08/3	
report\$1) with (xml (extended adj markup adj language)) ) US-PGPUB	0 14:46
- 105 ((generat\$4 same report\$1) with xml) & (((generat\$4 same USPAT; 2004/08/2	
report\$1) with xml ) & ( (generat\$4 same report\$1) with (xml US-PGPUB	
(extended adj markup adj language)) ))  7 ((generat\$4 same report\$1) with xsl) & (( (generat\$4 same USPAT: 2004/08/2	
7 ( (generat\$4 same report\$1) with xsl) & (( (generat\$4 same USPAT; 2004/08/2 report\$1) with xml ) & (( (generat\$4 same report\$1) with xml ) US-PGPUB	3 13:48
& ( (generat\$4 same report\$1) with (xml (extended adj	
markup adj language)) )))	3 13:48

-	4	("6463440" "6518980" "6519617" "6589291").PN.	USPAT; US-PGPUB	2004/08/23 14:05	
-	0	(("6463440" "6518980" "6519617" "6589291").PN.) & (( (generat\$4 same report\$1) with xml) & ( (generat\$4 same	USPAT; US-PGPUB	2004/08/23 14:05	
-	3	report\$1) with (xml (extended adj markup adj language)) )) (("6463440" "6518980" "6519617" "6589291").PN.) &	USPAT;	2004/08/23 14:06	
-	o	((715/513).CCLS.) ("(60237145943680)").PN.	US-PGPUB USPAT;	2004/08/23 14:07	
-	1	("6023714").PN.	US-PGPUB USPAT; US-PGPUB	2004/08/23 14:07	
-	1	("5943680").PN.	USPAT; US-PGPUB	2004/08/23 14:08	
-	8	("20010056429" "20020026461" "20020057297" "20020174147"	128630120659 US-PGPUB	"  <b>22063</b> 003 <b>/23</b> 894:'0'864	142755" "
1 -	1		USPAT;	2004/08/23 14:11	
		(("20010056429" "20020026461" "20020057297" "20020174147 & ((715/523).CCLS.)			442755"
-	0		USPAT;	2004/08/23 14:11	
		(("20010056429" "20020026461" "20020057297" "20020174147 & ((715/503).CCLS.)			442755"
-	2	(/  00040050400     000000404     0000057007     0000047444	USPAT;	2004/08/23 14:12	4.4075511
		(("20010056429" "20020026461" "20020057297" "20020174147 & ((715/513).CCLS.)		9" "20030158897" "6	<del>44</del> 2755"
_	0	a ((113/313).00E3.)	USPAT:	2004/08/23 14:12	-
		(("20010056429" "20020026461" "20020057297" "20020174147			442755"
		& ( (generat\$4 same report\$1) with (xml (extended adj			
-	3	(n(and magrats)4 as a group grephort \$1) with html) & ( (generat \$4 same	USPAT;	2004/08/23 14:14	
		report\$1) with xml ) & ( (generat\$4 same report\$1) with xsl) & (	US-PGPUB		
		(generat\$4 same report\$1) with (html markup)) & ( (generat\$4			
•		same report\$1) with (xml (extended adj markup adj			
		language)) )			
-	0	20040128169.URPN.	USPAT	2004/08/23 14:13	
-	0	20040128169.URPN.	USPAT	2004/08/23 14:13	
-	0	20040128169.URPN.	USPAT	2004/08/23 14:13	
-	0	20030101086.URPN.	USPAT	2004/08/23 14:13	
1-	0	20030101086.URPN. 20030101086.URPN.	USPAT USPAT	2004/08/23 14:13 2004/08/23 14:13	
	40	((generat\$4 same report\$1) with (html markup)) & (	USPAT;	2004/08/23 14:14	
-	70	(generat\$4 same report\$1) with (xml (extended adj markup	US-PGPUB	2004/00/25 14.14	
		adj language)) )	00-1 01 05		
_	1	(( (generat\$4 same report\$1) with (html markup)) & (	USPAT;	2004/08/23 14:15	
	_	(generat\$4 same report\$1) with (xml (extended adj markup	US-PGPUB		
		adj language)) )) & ((707/10).CCLS.)			
-	0	(( (generat\$4 same report\$1) with (html markup)) & (	USPAT;	2004/08/23 14:15	
		(generat\$4 same report\$1) with (xml (extended adj markup	US-PGPUB		
		adj language)) )) &			
-	0	) (((¬(3)		9°2°0200 <b>0°38</b> 7°5°6	442755"
		(generat\$4 same report\$1) with (xml (extended adj markup	US-PGPUB		
		adj language)) )) & (			
		(("6463440" "6518980" "6519617" "6589291").PN.) & ((715/513).CCLS.))			
_	0	(( (generat\$4 same report\$1) with (html markup)) & (	USPAT;	2004/08/23 14:15	
	· ·	(( (generat\$4 same report\$1) with (xml (extended adj markup	US-PGPUB	2004/00/25 14.15	
		adj language)) )) &	0010.05		
-	5	(([298180E542994120@200E54641112B0BD0627897)]"&Q020174147	"LLESTER TI 120659	9'ZCXDOB8125B897176	442755"
		(generat\$4 same report\$1) with (xml (extended adj markup	US-PGPUB		
		adj language)) )) & ((715/513).CCLS.)			
-	0	( (generat\$4 same report\$1) with (xml (extended adj markup	USPAT;	2004/08/23 14:22	
	_	adj language)) ) & fotmat\$5	US-PGPUB		
-	99	( (generat\$4 same report\$1) with (xml (extended adj markup	USPAT;	2004/08/23 14:18	
		adj language)) ) & format\$5	US-PGPUB		
	979	xml with xsl	USPAT;	2004/08/23 14:18	
	21	///goporot\$4.come report\$4) with first featured at all and all	US-PGPUB	0004/00/00 44:40	
-	41	( ( (generat\$4 same report\$1) with (xml (extended adj markup	USPAT;	2004/08/23 14:19	
	L	adj language)) ) & format\$5) & (xml with xsl )	US-PGPUB		l

	40	1/// the second of the second	LICOAT	0004/00/00 44 00
-	18	( ( ( (generat\$4 same report\$1) with (xml (extended adj markup adj language)) ) & format\$5) & (xml with xsl )) & (html markup sgml)	USPAT; US-PGPUB	2004/08/23 14:23
-	18	( ( ( (generat\$4 same report\$1) with (xml (extended adj markup adj language)) ) & format\$5) & (xml with xsl )) & (html	USPAT; US-PGPUB	2004/08/23 14:23
		markup)	00-1 01 08	
-	12	(((((generat\$4 same report\$1) with (xml (extended adj	USPAT;	2004/08/23 14:23
		markup adj language))) & format\$5) & (xml with xsl)) & (html	US-PGPUB	
	15	markup)) & (report adj generat\$5) (US-6768994-\$ or US-6519617-\$ or US-6463440-\$ or	USPAT;	2004/08/23 14:22
	"	US-6589291-\$ or US-6023714-\$ or US-5943680-\$).did. or	US-PGPUB	200 1100120 14.22
		(US-20020107889-\$ or US-20020035533-\$ or		
		US-20020026461-\$ or US-20040143599-\$ or US-20040128169-\$ or US-20040125131-\$ or		
		US-20030145280-\$ or US-20020066072-\$ or		
		US-20010044811-\$).did.		
-	0	((US-6768994-\$ or US-6519617-\$ or US-6463440-\$ or	USPAT;	2004/08/23 14:22
		US-6589291-\$ or US-6023714-\$ or US-5943680-\$).did. or (US-20020107889-\$ or US-20020035533-\$ or	US-PGPUB	
		US-20020026461-\$ or US-20040143599-\$ or		
		US-20040128169-\$ or US-20040125131-\$ or		
		US-20030145280-\$ or US-20020066072-\$ or		
_	15	US-20010044811-\$).did.) & fotmat\$5 ((US-6768994-\$ or US-6519617-\$ or US-6463440-\$ or	USPAT;	2004/08/23 14:23
		US-6589291-\$ or US-6023714-\$ or US-5943680-\$).did. or	US-PGPUB	
		(US-20020107889-\$ or US-20020035533-\$ or		
		US-20020026461-\$ or US-20040143599-\$ or US-20040128169-\$ or US-20040125131-\$ or		
		US-20030145280-\$ or US-20020066072-\$ or		
		US-20010044811-\$).did.) & format\$5		
-	14	(((US-6768994-\$ or US-6519617-\$ or US-6463440-\$ or US-6589291-\$ or US-6023714-\$ or US-5943680-\$).did. or	USPAT; US-PGPUB	2004/08/23 14:23
		(US-20020107889-\$ or US-20020035533-\$ or	03-PGP0B	
		US-20020026461-\$ or US-20040143599-\$ or		
		US-20040128169-\$ or US-20040125131-\$ or		
		US-20030145280-\$ or US-20020066072-\$ or US-20010044811-\$).did.) & format\$5) & (html markup sgml)		
-	14	( (((US-6768994-\$ or US-6519617-\$ or US-6463440-\$ or	USPAT;	2004/08/23 14:23
		US-6589291-\$ or US-6023714-\$ or US-5943680-\$).did. or	US-PGPUB	
		(US-20020107889-\$ or US-20020035533-\$ or US-20020026461-\$ or US-20040143599-\$ or		
		US-20040128169-\$ or US-20040125131-\$ or		
		US-20030145280-\$ or US-20020066072-\$ or		
		US-20010044811-\$).did.) & format\$5) & (html markup sgml)) & (html markup)		
-	10	( ( (((US-6768994-\$ or US-6519617-\$ or US-6463440-\$ or	USPAT;	2004/08/23 14:24
		US-6589291-\$ or US-6023714-\$ or US-5943680-\$).did. or	US-PGPUB	
		(US-20020107889-\$ or US-20020035533-\$ or US-20020026461-\$ or US-20040143599-\$ or		
		US-20040128169-\$ or US-20040125131-\$ or		
		US-20030145280-\$ or US-20020066072-\$ or		
		US-20010044811-\$).did.) & format\$5) & (html markup sgml))		
_	2	& (html markup)) & (report adj generat\$5) ( ( ( (((US-6768994-\$ or US-6519617-\$ or US-6463440-\$ or	USPAT;	2004/08/23 14:26
	_	US-6589291-\$ or US-6023714-\$ or US-5943680-\$).did. or	US-PGPUB	
		(US-20020107889-\$ or US-20020035533-\$ or		
		US-20020026461-\$ or US-20040143599-\$ or US-20040128169-\$ or US-20040125131-\$ or		
		US-20030145280-\$ or US-20020066072-\$ or		
		US-20010044811-\$).did.) & format\$5) & (html markup sgml))		
		& (html markup)) & (report adj generat\$5)) & ( HTML adj based)		
	L	Dasca/	<u> </u>	L

-	9	( ( ( (((US-6768994-\$ or US-6519617-\$ or US-6463440-\$ or	USPAT;	2004/08/23 14:26
		US-6589291-\$ or US-6023714-\$ or US-5943680-\$).did. or	US-PGPUB	
		(US-20020107889-\$ or US-20020035533-\$ or		
		US-20020026461-\$ or US-20040143599-\$ or		
		US-20040128169-\$ or US-20040125131-\$ or		
		US-20030145280-\$ or US-20020066072-\$ or		
1		US-20010044811-\$).did.) & format\$5) & (html markup sgml))		
		& (html markup)) & (report adj generat\$5)) & (stylesheet xsl)		
_	l ol	(( ( (((US-6768994-\$ or US-6519617-\$ or US-6463440-\$ or	USPAT;	2004/08/23 14:27
		US-6589291-\$ or US-6023714-\$ or US-5943680-\$).did. or	US-PGPUB	200-7700720 14.27
		(US-20020107889-\$ or US-20020035533-\$ or	03-6660	
		US-20020107669-\$ of US-20020035353-\$ of US-20020026461-\$ or US-20040143599-\$ or		
		· · · · · · · · · · · · · · · · · · ·		
		US-20040128169-\$ or US-20040125131-\$ or		
		US-20030145280-\$ or US-20020066072-\$ or		
		US-20010044811-\$).did.) & format\$5) & (html markup sgml))	:	
		& (html markup)) & (report adj generat\$5)) & (stylesheet xsl))		
		& (xmll)		
-	3	W   V   W   =	USPAT;	2004/08/23 14:27
		US-6589291-\$ or US-6023714-\$ or US-5943680-\$).did. or	US-PGPUB	
		(US-20020107889-\$ or US-20020035533-\$ or		
		US-20020026461-\$ or US-20040143599-\$ or		
		US-20040128169-\$ or US-20040125131-\$ or		
		US-20030145280-\$ or US-20020066072-\$ or		
1		US-20010044811-\$).did.) & format\$5) & (html markup sgml))		
		& (html markup)) & (report adj generat\$5)) & (stylesheet xsl))		
		& (xml adj based)		
_	4	(%111 daj 50364) ("6589291" "6463440" "6519617" "6023714" ).pn.	USPAT;	2004/08/23 16:47
-	1 7	( 0000201	US-PGPUB	200 1,00,20 10.11
	18	(generat\$4 same report\$1) with xsl	USPAT;	2004/08/23 16:48
ļ -	"	(generativa same reportur) with xsi	US-PGPUB	2004/00/20 10.40
		("OCOEE44") DN	USPAT;	2004/08/23 17:17
-	1	("0605541").PN.	US-PGPUB;	2004/00/23 17.17
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	0004/00/00 44:45
-	0	(""projectmanagement"&xml").PN.	USPAT;	2004/08/30 14:45
	!		US-PGPUB	0004/00/00 44 45
-	0	"projectmanagement"&xml	USPAT;	2004/08/30 14:45
			US-PGPUB	
-	224	"project management" & xml	USPAT;	2004/08/31 09:36
			US-PGPUB	
-	233	(generat\$4 same report\$1) with (html markup)	USPAT;	2004/08/30 14:46
			US-PGPUB	
-	106	( (generat\$4 same report\$1) with xml ) & ( (generat\$4 same	USPAT;	2004/08/30 14:47
		report\$1) with (xml (extended adj markup adj language)))	US-PGPUB	
_	0	"projectmanagement"&xml & ("project management" & xml)	USPAT;	2004/08/30 14:47
		Frage and a sum of England management of sumy	US-PGPUB	
1.	4	("project management" & xml) & (( (generat\$4 same report\$1)	USPAT:	2004/08/30 14:49
		with xml) & ( (generat\$4 same report\$1) with (xml (extended	US-PGPUB	
		adj markup adj language)) ))	33.3.35	
	0		USPAT;	2004/08/30 14:50
1		with xml ) & ( (generat\$4 same report\$1) with (xml (extended	US-PGPUB	
1		adj markup adj language)) ) )) & dtd	001 01 00	
	,		USPAT;	2004/08/30 14:50
-	2		US-PGPUB	2007/00/30 14.30
		with xml) & ( (generat\$4 same report\$1) with (xml (extended	03-70706	
	1	adj markup adj language)) ) )) & "data type"	LICDAT	2004/09/20 44:50
-	2		USPAT;	2004/08/30 14:50
		with xml ) & ( (generat\$4 same report\$1) with (xml (extended	US-PGPUB	
1		adj markup adj language)) ) )) & "data type definition"		0004/00/05 :: 55
-	2	((("project management" & xml) & (( (generat\$4 same	USPAT;	2004/08/30 14:52
1		report\$1) with xml ) & ( (generat\$4 same report\$1) with (xml	US-PGPUB	
1		(extended adj markup adj language)) ) )) & "data type		
1		definition") & (url ip tcp dns)	1	
-	0	1 ( ( ( ) ) )	USPAT;	2004/08/30 14:53
		report\$1) with xml ) & ( (generat\$4 same report\$1) with (xml	US-PGPUB	
		(extended adj markup adj language)) ) )) & "data type	İ	1
		definition") & (url ip tcp dns)) & "internet protocol"		
-				

•	2	(((("project management" & xml) & (( (generat\$4 same	USPAT;	2004/08/30 15:03
		report\$1) with xml) & ( (generat\$4 same report\$1) with (xml (extended adj markup adj language)) ) )) & "data type	US-PGPUB	
		definition") & (url ip tcp dns)) & " protocol"		
-	0	( ((("project management" & xml) & (( (generat\$4 same	USPAT;	2004/08/30 15:04
		report\$1) with xml ) & ( (generat\$4 same report\$1) with (xml (extended adj markup adj language)) ) )) & "data type	US-PGPUB	
		definition") & (url ip tcp dns)) & "document type definition!"		
-	0	( ((("project management" & xml) & (( (generat\$4 same	USPAT;	2004/08/30 15:04
		report\$1) with xml ) & ( (generat\$4 same report\$1) with (xml	US-PGPUB	
		(extended adj markup adj language)) ) )) & "data type definition") & (url ip tcp dns)) & "document type defintion!"		
-	0	(( (generat\$4 same report\$1) with xml ) & ( (generat\$4 same	USPAT;	2004/08/30 15:04
		report\$1) with (xml (extended adj markup adj language)) ) ) &	US-PGPUB	
	0	"document type defintion!" ("project management" & xml) & "document type defintion!"	USPAT;	2004/08/30 15:04
		( project management & xmi) & document type definition	US-PGPUB	2004/06/30 15:04
-	1617	(715/513).CCLS.	USPAT;	2004/08/30 15:04
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	0	((715/513).CCLS.) & "document type defintion!"	USPAT;	2004/08/30 15:05
_	0	((715/513).CCLS.) & "document type defintion"	US-PGPUB USPAT;	2004/08/30 15:05
-	"	((713/313).CCL3.) & document type definition	US-PGPUB	2004/06/30 15.05
-	0	(("project management" & xml) & (( (generat\$4 same report\$1)	USPAT;	2004/08/30 15:05
		with xml ) & ( (generat\$4 same report\$1) with (xml (extended	US-PGPUB	
_	14	adj markup adj language)) ) )) & "document type definition" (( (generat\$4 same report\$1) with xml ) & ( (generat\$4 same	USPAT;	2004/08/30 15:05
	''	report\$1) with (xml (extended adj markup adj language)))) &	US-PGPUB	200 1700/00 10:00
		"document type definition"		
-	1674	encapsulat\$5 same (data with access)	USPAT; US-PGPUB	2004/08/31 09:34
-	14	(US-6768994-\$ or US-6589291-\$ or US-6519617-\$ or	USPAT;	2004/08/31 09:34
		US-6463440-\$ or US-6023714-\$ or US-5943680-\$ or	US-PGPUB	
		US-6678889-\$).did. or (US-20020107889-\$ or US-20040128169-\$ or US-20020073114-\$ or		
		US-20020066072-\$ or US-20020035533-\$ or		
		US-20020026461-\$ or US-20010044811-\$).did.		
-	1	(US-6768994-\$ or US-6589291-\$ or US-6589291-\$ or US-6589291-\$ or US-6519617-\$ or US-6463440-\$ or	USPAT; US-PGPUB	2004/08/31 09:34
		US-6023714-\$ or US-5943680-\$ or US-6678889-\$).did. or	US-PGPUB	
		(US-20020107889-\$ or US-20040128169-\$ or		
		US-20020073114-\$ or US-20020066072-\$ or		
		US-20020035533-\$ or US-20020026461-\$ or US-20010044811-\$).did.)		
-	13	(US-6768994-\$ or US-6589291-\$ or US-6519617-\$ or	USPAT;	2004/08/31 09:35
		US-6463440-\$ or US-6023714-\$ or US-5943680-\$ or	US-PGPUB	
		US-6678889-\$).did. or (US-20040128169-\$ or US-20020073114-\$ or US-20020066072-\$ or		
		US-20020075114-5 01 US-20020000072-5 01 US-20020035533-\$ or US-20020026461-\$ or		
	_	US-20010044811-\$).did.		
-	0	(us-6768994-\$ or US-6589291-\$ or US-6589291-\$ or US-6589291-\$ or US-6519617-\$ or US-6463440-\$ or	USPAT; US-PGPUB	2004/08/31 09:35
		US-6023714-\$ or US-5943680-\$ or US-6678889-\$).did. or	03-FGF0B	
		(US-20040128169-\$ or US-20020073114-\$ or		
		US-20020066072-\$ or US-20020035533-\$ or		
.	106	US-20020026461-\$ or US-20010044811-\$).did.) (generat\$4 same report\$1) with (xml (extended adj markup	USPAT;	2004/08/31 09:35
		adj language))	US-PGPUB	
-	2	(encapsulat\$5 same (data with access)) & ( (generat\$4 same	USPAT;	2004/08/31 09:35
_	_ n	report\$1) with (xml (extended adj markup adj language)) ) 20030233343.URPN.	US-PGPUB USPAT	2004/08/31 09:36
-			USPAT	2004/08/31 09:36
- ·	224	"project management" & xml	USPAT;	2004/08/31 09:36
L	L		US-PGPUB	

-	31	(encapsulat\$5 same (data with access)) & ("project	USPAT;	2004/08/31 09:36
		management" & xml )	US-PGPUB	
-	1	("20020035555").PN.	USPAT;	2004/08/31 10:39
			US-PGPUB	